


Pulegge Dentate Passo HTD

HTD Pitch Timing Pulleys

HTD 8M

Passo 8mm / 8mm Pitch




Materiale: Acciaio e Ghisa

Material: Steel & Cast Iron

	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Df	Dm	B	L
HTD 8M 20 (passo 8 mm) per cinghia di larghezza 20 mm HTD 8M 20 (8 mm pitch) for 20 mm width belt	22 8M 20 F	6F	22	56,02	54,65	60,0	43	28	38
	24 8M 20 F	6F	24	61,12	59,75	66,0	45	28	38
	26 8M 20 F	6F	26	66,21	64,84	70,0	48	28	38
	28 8M 20 F	6F	28	71,30	70,08	75,0	50	28	38
	30 8M 20 F	6F	30	76,39	75,13	83,0	55	28	38
	32 8M 20 F	6F	32	81,49	80,16	87,0	60	28	38
	34 8M 20 F	6F	34	86,58	85,22	91,0	70	28	38
	36 8M 20 F	6F	36	91,67	90,30	97,0	70	28	38
	38 8M 20 F	6F	38	96,77	95,39	102,0	75	28	38
	40 8M 20 F	6F	40	101,86	100,49	106,0	75	28	38
	44 8M 20 F	6F	44	112,05	110,67	120,0	75	28	38
	48 8M 20 F	6F	48	122,23	120,86	128,0	75	28	38
	56 8M 20 F	6WF	56	142,60	141,23	150,0	80	28	38
	64 8M 20 F	6WF	64	162,97	161,60	168,0	80	28	38
	72 8M 20 F	6WF	72	183,35	181,97	192,0	80	28	38
	80 8M 20	6W	80	203,72	202,35	-	90	28	38
	90 8M 20	6W	90	229,18	227,81	-	90	28	38
	112 8M 20	6	112	285,21	283,83	-	90	28	38
	144 8M 20	6	144	366,69	365,32	-	90	28	38
168 8M 20	6	168	427,81	426,44	-	100	28	38	
192 8M 20	6	192	488,92	487,55	-	100	28	38	
HTD 8M 30 (passo 8 mm) per cinghia di larghezza 30 mm HTD 8M 30 (8 mm pitch) for 30 mm width belt	22 8M 30 F	6F	22	56,02	54,65	60,0	43	38	48
	24 8M 30 F	6F	24	61,12	59,75	66,0	45	38	48
	26 8M 30 F	6F	26	66,21	64,84	70,0	48	38	48
	28 8M 30 F	6F	28	71,30	70,08	75,0	50	38	48
	30 8M 30 F	6F	30	76,39	75,13	83,0	55	38	48
	32 8M 30 F	6F	32	81,49	80,16	87,0	60	38	48
	34 8M 30 F	6F	34	86,58	85,22	91,0	66	38	48
	36 8M 30 F	6F	36	91,67	90,30	97,0	70	38	48
	38 8M 30 F	6F	38	96,77	95,39	102,0	75	38	48
	40 8M 30 F	6F	40	101,86	100,49	106,0	75	38	48
	44 8M 30 F	6F	44	112,05	110,67	120,0	75	38	48
	48 8M 30 F	6F	48	122,23	120,86	128,0	75	38	48
	56 8M 30 F	6WF	56	142,60	141,23	150,0	90	38	48
	64 8M 30 F	6WF	64	162,97	161,60	168,0	90	38	48
	72 8M 30 F	6WF	72	183,35	181,97	192,0	95	38	48
	80 8M 30	6W	80	203,72	202,35	-	100	38	48

HTD 8M

Passo 8mm / 8mm Pitch



Materiale: Acciaio e Ghisa

Material: Steel & Cast Iron


	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Df	Dm	B	L
	90 8M 30	6W	90	229,18	227,81	-	100	38	48
	112 8M 30	6A	112	285,21	283,83	-	100	38	48
	144 8M 30	6A	144	366,69	365,32	-	100	38	48
	168 8M 30	6A	168	427,81	426,44	-	100	38	48
	192 8M 30	6A	192	488,92	487,55	-	100	38	48
HTD 8M 50 (passo 8 mm) per cinghia di larghezza 50 mm HTD 8M 50 (8 mm pitch) for 50 mm width belt	22 8M 50 F	6F	22	56,02	54,65	60,0	43	60	70
	24 8M 50 F	6F	24	61,12	59,75	66,0	45	60	70
	26 8M 50 F	6F	26	66,21	64,84	70,0	48	60	70
	28 8M 50 F	6F	28	71,30	70,08	75,0	50	60	70
	30 8M 50 F	6F	30	76,39	75,13	83,0	55	60	70
	32 8M 50 F	6F	32	81,49	80,16	87,0	60	60	70
	34 8M 50 F	6F	34	86,58	85,22	91,0	66	60	70
	36 8M 50 F	6F	36	91,67	90,30	97,0	70	60	70
	38 8M 50 F	6F	38	96,77	95,39	102,0	75	60	70
	40 8M 50 F	6F	40	101,86	100,49	106,0	75	60	70
	44 8M 50 F	6F	44	112,05	110,67	120,0	75	60	70
	48 8M 50 F	6F	48	122,23	120,86	128,0	80	60	70
	56 8M 50 F	10WF	56	142,60	141,23	150,0	90	60	60
	64 8M 50 F	10WF	64	162,97	161,60	168,0	100	60	60
	72 8M 50 F	10WF	72	183,35	181,97	192,0	100	60	60
	80 8M 50	10WF	80	203,72	202,35	-	110	60	60
	90 8M 50	10WF	90	229,18	227,81	-	110	60	60
	112 8M 50	10A	112	285,21	283,83	-	110	60	60
	144 8M 50	10A	144	366,69	365,32	-	110	60	60
168 8M 50	10A	168	427,81	426,44	-	120	60	60	
192 8M 50	10A	192	488,92	487,55	-	130	60	60	
HTD 8M 85 (passo 8 mm) per cinghia di larghezza 85 mm HTD 8M 85 (8 mm pitch) for 85 mm width belt	22 8M 85 F	6F	22	56,02	54,65	60,0	43	95	105
	24 8M 85 F	6F	24	61,12	59,75	66,0	45	95	105
	26 8M 85 F	6F	26	66,21	64,84	70,0	48	95	105
	28 8M 85 F	6F	28	71,30	70,08	75,0	50	95	105
	30 8M 85 F	6F	30	76,39	75,13	83,0	55	95	105
	32 8M 85 F	6F	32	81,49	80,16	87,0	60	95	105
	34 8M 85 F	6F	34	86,58	85,22	91,0	66	95	105
	36 8M 85 F	6F	36	91,67	90,30	97,0	70	95	105
	38 8M 85 F	6F	38	96,77	95,39	102,0	75	95	105
	40 8M 85 F	6F	40	101,86	100,49	106,0	75	95	105
	44 8M 85 F	6F	44	112,05	110,67	120,0	75	95	105

Pullegge Dentate Passo HTD


HTD Pitch Timing Pulleys

HTD 8M


Passo 8mm / 8mm Pitch



6F



10WF



10A

Materiale: Acciaio e Ghisa

Material: Steel & Cast Iron

HTD 8M 85 (passo 8 mm) per cinghiera di larghezza 85 mm HTD 8M 85 (8 mm pitch) for 85 mm width belt	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Df	Dm	B	L
	48 8M 85 F	6F	48	122,23	120,86	128,0	80	95	105
	56 8M 85 F	6F	56	142,60	141,23	150,0	90	95	105
	64 8M 85 F	10WF	64	162,97	161,60	168,0	100	95	95
	72 8M 85 F	10WF	72	183,35	181,97	192,0	100	95	95
	80 8M 85	10A	80	203,72	202,35	-	110	95	95
	90 8M 85	10A	90	229,18	227,81	-	110	95	95
	112 8M 85	10A	112	285,21	283,83	-	110	95	95
	144 8M 85	10A	144	366,69	365,32	-	110	95	95
	168 8M 85	10A	168	427,81	426,44	-	120	95	95
	192 8M 85	10A	192	488,92	487,55	-	130	95	95